

RV 橡胶再生剂（橡胶断硫剂、橡胶断链剂、橡胶还原剂、橡胶活化剂、橡胶复塑剂）

RV rubber regeneration agent (rubber sulfur breaking agent, rubber de-linking agent, rubber reducing agent, rubber activator, rubber re-plastic agent)

编号 No.	品种 Category	适用胶种 Suitable rubber types	适用硫化（交联）体系 Applicable vulcanization (crosslinking) system	加工温度 Processing temperature	用量 Dosage	形状 Form
1	RV1101 (RV-NR/BR/SBR/ EPDM/IIR/CSM)	NR、BR、SBR、EPDM、IIR、 CSM 等浅色橡胶制品 NR, BR, SBR, EPDM, IIR, CSM and other light colored rubber products	硫黄促进剂、 金属氧化物 Sulfur accelerator, Metal oxide	室温 Room temperature	100: 2-3	预分散母胶粒、橡胶片 Pre-dispersed Masterbatch, rubber sheet
2	RV2101 (RV 二代) RV2101 (RV II)	NR、BR、SBR、EPDM、IIR、 CSM 等深色橡胶制品 NR, BR, SBR, EPDM, IIR, CSM and other dark rubber products	硫黄促进剂、 金属氧化物 Sulfur accelerator, Metal oxide	室温 Room temperature	100: 2	预分散母胶粒、橡胶片 Pre-dispersed Masterbatch, rubber sheet
3	RV-NBR	丁腈橡胶 NBR	硫黄促进剂、 金属氧化物 Sulfur accelerator, Metal oxide	室温 Room temperature	100: 2	橡胶片 Rubber sheet
4	RV-CR	氯丁橡胶 CR	金属氧化物 Metal oxide	室温 Room temperature	100: 2	橡胶片 Rubber sheet
5	RDFPM	氟橡胶 Fluorous rubber	三种硫化剂均可 All the three vulcanizing agents can be used	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet
6	RDSiR	硬质硅橡胶 Hard silicone rubber	过氧化物 Peroxide	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet
7	RDS-ACM	丙烯酸酯橡胶 Acrylate rubber	三种硫化剂均可 All the three vulcanizing agents can be used	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet

8	PTC-R	橡胶催化再生还原剂 各种橡胶 Rubber catalytic regenerative reducing agent All kinds of rubber	硫黄促进剂 Sulfur accelerator	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet
9	RV-J/RV-Scorched rubber	橡胶焦烧胶料还原剂 Scorched rubber compound reducing agent	硫黄促进剂 Sulfur accelerator	室温 Room temperature	100: 0.5- 1	粉状、橡胶片 Powder, rubber sheet
10	RDS-IIR	氯化和溴化丁基橡胶 Chlorinated and brominated butyl rubber	金属氧化物、 树脂硫化 Metal oxides, Resin vulcanization	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet
11	RDS-R	各种橡胶、HNBR、 各种热塑性弹性体 All kinds of rubber, HNBR, All kinds of thermoplastic elastomers	过氧化物 Peroxide	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet
12	RV-NBR(II)	丁腈手套专用（深色） Nitrile Gloves Special (dark color)	硫黄促进剂 Sulfur accelerator	室温 Room temperature	100: 50	粉状、橡胶片 Powder, rubber sheet
13	RV-NBR(III)	丁腈手套专用（浅色） Nitrile Gloves Special (Light color)	硫黄促进剂 Sulfur accelerator	室温 Room temperature	100: 30	粉状、橡胶片 Powder, rubber sheet
14	RV-RE (橡胶稀土再生剂) Rubber rare earth regenerant	各种发泡橡胶 Various foamed rubber	硫黄促进剂 Sulfur accelerator	室温 Room temperature	100: 2	粉状、橡胶片 Powder, rubber sheet

15	RHT-8501 橡胶活化剂 Rubber activator	轮胎胶粉 Tire rubber powder	硫黄促进剂 Sulfur accelerator	高温 Room temperature	100: 0.5	粉状 Powder
16	RV-RB	各种橡胶、橡胶沥青改性 All kinds of rubber, rubber asphalt modification	硫黄促进剂 Sulfur accelerator	半高温 (100-150°C) Semi-high temperature	100: 0.5	粉状 Powder
17	RV-PA	轮胎胶粉、橡胶沥青改性 All kinds of rubber, rubber asphalt modification	硫黄促进剂 Sulfur accelerator	半高温 (80-120°C) Semi-high temperature	100: 0.5	粉状 Powder
18	RV-2023Pro	NR、BR、SBR、EPDM、NBR、 IIR、CR、CSM	硫黄促进剂 Sulfur accelerator	室温 Room temperature	100: 2-6	预分散母胶粒、橡胶片 Pre-dispersed Masterbatch, rubber sheet

包装: 25 公斤/编织袋 Packing: 25 kg/woven bag.