



company profile



water passion



environment



community



quality

CALPEDA SPA

59

years of history

250

employees

30.000

mq

CALPEDA GROUP

18

sister companies

530

employees





WHO WE ARE

Our products help you to control water wisely choosing new “green” technologies. We are actually working in order to improve the quality of life.


Calpeda is a family owned company with an history of 59 years.

Today, we are a reality that has evolved over the years, always looking to the future with a spirit that has brought us to being a respected reference point in the great world of water.

Our history has taken our tradition and strength to you, acknowledged for our professionalism, quality, reliability and service.

We are committed to study, to develop, to manufacture and to industrialize pumping systems.


2000 types of pumps
from 0,5 to 200 kW





Each component is internally developed to grant the maximum quality and the best performances

Each single product undergoes full production testing to verify quality standards of each item



.....

TOTALLY HOMEMADE

MATERIALS

RESEARCH,
DEVELOPMENT &
DESIGN

PRODUCTION,
ASSEMBLY
& DEVELOPMENT

ONLY LOCAL
SUPPLIERS

TOTALLY
CALPEDA

TOTALLY
CALPEDA





VISION

Be a worldwide family corporation

A taylor made pump for life delivered in one day

Move water in the most sustainable way

MISSION

We believe being a family is the right way to approach our worldwide business. When someone choose Calpeda is because of trust and reliability.

We work daily on our gemba kaizen to reach an extreme level of customization and customer satisfaction.

We work on technology development to be at forefront and apply every regulation.

We study the water flowing path and the birds' flight as they migrate, in order to understand how the Nature teaches us to save energy.

.....

We believe in technology, which creates value for both ourselves and for those who choose us.

We produce our pumps in Italy, because we still believe in the quality of our people.

Moreover, each single product undergoes full production testing, to verify the quality standard of each item.

Calpeda's quality is a part of our tradition, emanating from all our company departments, which has resulted in product continuity, service and technical assistance, and fast delivery, all providing any application requested.





VALUES

FAMILY

Trite but true: focus on people, families, community

TRUST

Homemade products and development, only local suppliers

SERVICE

Moving fast for a changeable world.
Be flexible to meet the customers' needs

WHAT WE DO

We connect water to people.

We manufacture high technology pumps and pump systems for a large variety of uses:

- industrial fields
- domestic applications
- agriculture and irrigation applications
- civil, plants and building-service sector
- wastewater and sewage applications
- ground water supply
- swimming pools and spa baths
- heating and air conditioning





Industry



Domestic Use




Agriculture and Irrigation



Buildings service



Drainage And Sewage



Ground Water Supply



Swimming Pools And Whirlpool



Heating And Air Conditioning



WHERE WE ARE

Calpeda operates through its own subsidiary companies and branches in strategic countries providing all the customers needs in most field of application.

In Italy Calpeda is represented in the regions by 18 distributors that offer sales assistance covering the whole country.

In the rest of the world Calpeda is present in more than 100 countries with a capillary system of local affiliated distributors offering a comprehensive service and assistance structure.



THE GROUP

Italy

Calpeda S.p.A.

Via Roggia di Mezzo 39,
36050 Montorso Vicentino (Vi)
Tel: +39 0444 476 476
Fax: +39 0444 476 477

United Kingdom

Calpeda Limited

6,8 Wedgwood Road, Ind. Estate,
Bicester, Oxon OX26 4UL
Tel: +44 1869 241441
Fax: +44 1869 240681

UK Technical Centre

Grove House, Friarwood Lane,
Pontefract, West Yorkshire
WF8 1DY
Tel +44 1869 241441
Fax +44 1977 709485
pumps@calpeda.co.uk

Spain

Calpeda Ibérica S.A.

Montclar, 31 –
Nave 14 Polig. Ind. Polizur
E-08290 Cerdanyola del Vallés
Tel: +34 935 802 417
Fax: +34 935 863 454

Ireland

Calpeda Pumps (Ireland) Ltd.

Unit 5, Old Quarry Campus,
Kilshane Park,
Blanchardstown, Co. Dublin 15
Tel: +353 1 8612200
Fax: +353 1 8612203

France

Calpeda Pompes S.A.

Parc d'activités de la Forêt,
19, Rue de la Communauté – BP3
F-44140, Le Bignon
Tel: +33 2 40031330
Fax: +33 2 40031670

Germany

Calpeda Pumpen Vertrieb GmbH

Philipp-Reis-Strasse, 2
D-63755 Alzenau
Tel: +49 6023 964330
Fax: +49 6023 964333

South Africa

Calpeda Pumps Southern Africa

Unit 3, Kingsley Close, Warbler Close
Montague Gardens
7800 Cape Town
Tel: +27 10 442 2200
M: +27 72 722 9097

Singapore

Calpeda Asia Pacific Pte Ltd

3, GUL STREET 1,
629316 Singapore
Tel: +65 68984111
Fax: +65 68984222

Thailand

Calpeda (Thailand) Co. Ltd.

380/6 Rachadaphisek Road
Huay-Kwang
10320 Bangkok
Tel: +66 2 2750027
Fax: +66 2 6934630

Taiwan

Calpeda Taiwan Co Ltd

No.367-1, Fongren Road,
Renwu Township,
81449 Kaohsiung County
Tel: +886 7 3723855
Fax: +886 7 3723895

Taipei office

9f., no.79, aly. 3, ln. 182, sec. 2,
Wenhua rd., Banqiao dist.,
New Taipei city 220

Malaysia

Calpeda (Malaysia) Sdn Bhd

No 40, Jalan 5/KU6,
Kaw Perindustrian Sg Puloh,
42100 Klang, Selangor
Tel: +60 3 3885 7098
Fax: +1700 8136 24

India

Calpeda Pumps PVT LTD

No. 953/A, 3RD Floor
2ND Main, 4TH Block
Rajajinagar Bangalore-560010 India
Tel: +91 8023159678
Fax: +91 8023159655

China (PRC)

Calpeda Beijing Pump Co. Ltd.

No.15-12A South Jingsheng Four Street,
Liandong U Valley Science Park,
Tongzhou District
101102 Beijing
Tel: +86 10 59770570/71/72
Fax: +86 10 59770573

Shanghai office

no. 67, 300 nong shunda road
nanxiang, jiading district,
Shanghai
Tel: +86 021 69179880
Fax: +86 021 69179799

Guangzhou office

the international center
for layered leader
room 622, junya north street,
Huangpu district, Guangzhou
Tel: +86 021 82480841
Fax: +86 021 82480840

Korea

Calpeda Korea Co. Ltd.

144, Hyeomnyeok-ro, Siheung-si,
Gyeonggi-do, 15093, South Korea
Tel: +82 31 4999550
Fax: +82 31 4995930

Australia

Calpeda Pumps Pty Ltd

1 Opala Street, Regency Park,
5010 Adelaide, South Australia
Tel: +61 8 82688880
Fax: +61 8 82681277

MYANMAR

Calpeda Myanmar Co. Ltd.

No.15(B) Si Pin Road, 25 Ward
Yangon-South Dagon Township
MYANMAR
Tel: +65 68984111

THE GROUP



Subteck S.p.A.

The company is specialized in submersible pumps and motors.

Via Armenia 6, Z.I. PonteRosso
33078 San Vito al Tagliamento (PN)
Tel: +39 0434 85121
Fax: +39 0434 85361
Web: www.subteck.com




Fonderia Zardo S.p.A.

Certified ISO 9001, IGQ, TUV and DNV, specialized in cast iron.

Via Marosticana 25,
36050 Bolzano Vicentino (VI)
Tel: +39 0444 353353
Fax: +39 0444 353354
Web: www.fonderiazardo.it



RANGE OF PRODUCTS



NM, NMD

**NM, NM4
NMS, NMS4**

N

N4

**NR
NR EI**

Close-coupled
centrifugal
pumps

Close-coupled
centrifugal
pumps
EN 733

End-suction
centrifugal pumps EN 733

In-line
pumps

CHARACTERISTICS

	DN	G¾ ÷ G2½	32 ÷ 150 mm	32 ÷ 100 mm	32 ÷ 150 mm	50 ÷ 125
Discharge diameter (nominal)	DN	G¾ ÷ G2½	32 ÷ 150 mm	32 ÷ 100 mm	32 ÷ 150 mm	50 ÷ 125
Capacity	Q (m³/h)	1 ÷ 66	1 ÷ 480	6,6 ÷ 300	2,4 ÷ 480	2 ÷ 110
Head	H (m)	3,5 ÷ 114	3 ÷ 95	6 ÷ 95	1,5 ÷ 61,5	2 ÷ 39
Motor rating	kW	0,37 ÷ 9,2	0,25 ÷ 75	0,55 ÷ 75	0,25 ÷ 75	0,25 ÷ 7,5
	CV	0,5 ÷ 12,5	0,33 ÷ 100	0,75 ÷ 100	0,34 ÷ 100	0,37 ÷ 10
Nominal speed of rotation	1/min (50 Hz)	2900	1450 - 2900	2900	1450	1450 - 2900
	1/min (60 Hz)	3450	1750 - 3450 variable speed	3450	1750	1750 - 3450 variable speed

APPLICATIONS

Industrial and commercial	●	●	●	●	●
Domestic	●				
Agriculture and irrigation	●	●	●	●	
Swimming pools and spa baths		●			
Heating and air conditioning	●	●	●	●	●
Groundwater					
Wastewater and sewage					
Civil and residential	●	●	●	●	●

LIQUIDS

Water	●	●	●	●	●
Sea water or brackish water	●	●	●	●	
Superheated water	●	●	●	●	●
Drainage water					
Hydrocarbons and derivatives	●	●	●	●	●
Diathermic fluids	●	●	●	●	●
Glycol	●	●	●	●	●



**MXH
MXH EI**




MXP, MGP



MPSU



**MXV-B, MXV
MXV EI**




SPA



MPC



NMP



A

**Horizontal
multi-stage
pumps**

**Horizontal
multi-stage
pumps**

**Multi-stage
pumps with
water cooled
motor**

**Vertical
multi-stage
pumps**

**Self-draining
whirlpool
pumps**

**Self-priming
swimming pool
pumps with
built-in strainer**

**Self-priming
centrifugal
pump with
built-in strainer**

**Self-priming
centrifugal
pump with
open impeller**

G1 ÷ G2½

G1

G1¼

G1 ÷ G1½
25 ÷ 80 mm

ø 50 mm
G2¼

G1½ ÷ G2

G2 ÷ G3

G1½ ÷ G3

1 ÷ 66
5,5 ÷ 68

1 ÷ 7,2
5 ÷ 57

1 ÷ 11
12 ÷ 61

0,6 ÷ 60
3 ÷ 250

3 ÷ 18
4,7 ÷ 16,5

3 ÷ 40
4,2 ÷ 18

6,6 ÷ 108
3 ÷ 37,5

3,6 ÷ 66
3,3 ÷ 33,6

0,33 ÷ 7,5

0,33 ÷ 0,75

0,33 ÷ 1,1

0,55 ÷ 22

0,45 ÷ 1,1

0,37 ÷ 2,2

0,55 ÷ 11

0,55 ÷ 7,5

0,45 ÷ 10

0,45 ÷ 1

0,45 ÷ 1,5

0,75 ÷ 30

0,6 ÷ 1,5

0,5 ÷ 3

0,75 ÷ 15

0,75 ÷ 10

2900
3450
variable speed

2900
3450

2900
3450

1450 - 2900
1750 - 3450
variable speed

2900
3450

2900
3450

2900
3450

2900
3450

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•




•

•

•

•

•

**C****CT, T****CA****NGL, NGX****NG****MXA****I, IR****VAL, SC****Centrifugal pumps with open impeller****Peripheral pumps****Self-priming liquid ring pumps****Self-priming jet pumps with built-in ejector****Self-priming jet pumps****Horizontal multi-stage self-priming pumps****Gear pumps****Vertical pumps with open impeller** $G\frac{1}{2} \div G1\frac{1}{2}$ $G\frac{3}{4} \div G1\frac{1}{4}$ $G\frac{1}{2} \div G1$

G1

G1

G1

G1

 $G\frac{1}{4} \div G2$

0,6 ÷ 15

0,06 ÷ 6

0,12 ÷ 2,4

0,3 ÷ 8,4

0,25 ÷ 9,5

1 ÷ 8

0,60

3 ÷ 30

3,6 ÷ 22,4

5 ÷ 165

6,5 ÷ 53

18 ÷ 55,5

15,5 ÷ 74,5

14 ÷ 51

20 ÷ 50

2 ÷ 11

0,15 ÷ 1,1

0,3 ÷ 7,5

0,15 ÷ 0,75

0,45 ÷ 1,5

0,55 ÷ 2,2

0,45 ÷ 1,1

0,25 ÷ 0,75

0,37 ÷ 2,2

0,2 ÷ 1,5

0,4 ÷ 10

0,2 ÷ 1

0,6 ÷ 2

0,75 ÷ 3

0,6 ÷ 1,5

0,34 ÷ 1

0,5 ÷ 3

2900
34502900
34502900
34502900
34502900
34502900
34501450
17502900
3450

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•



e-idos[®]
products

**GM 10, GXR
GQR**

GQ, GX, GM

**MPS, MXS,
MP**

SD, SDS, SDX

NCE

BS

**E-MXP, E-NGX
E-MXA**

**Submersible
drainage
pump**

**Submersible
sewage
pumps**

**Multi-stage
submersible
clean water
pumps**

**Submersible
centrifugal
pumps**

**Building
services**

**Pressure
boosting sets**

**Boosting pressure
system with built-in
electronic pressure
sensor**

G1¼ ÷ G1½

G1¼ ÷ G2
50 ÷ 250

G1¼

G1¼ ÷ G5
100 ÷ 175 mm

G1½ ÷ G2
40 ÷ 80 mm

G1 ÷ G2½
80 ÷ 250 mm

G1

1,2 ÷ 30

1,2 ÷ 2300

1 ÷ 11

0,6 ÷ 350

0,5 ÷ 120

1,5 ÷ 570

0,3 ÷ 6

1,5 ÷ 19,5

1 ÷ 72

12 ÷ 105

6,6 ÷ 664

0,2 ÷ 12

10 ÷ 95

7,5 ÷ 50

0,25 ÷ 1,5

0,25 ÷ 84,1

0,45 ÷ 3

0,37 ÷ 150

0,05 ÷ 2,2

0,45 ÷ 55x3

0,45 ÷ 0,6

0,33 ÷ 2

0,33 ÷ 115

0,6 ÷ 4

0,5 ÷ 200

0,067 ÷ 3

0,6 ÷ 75x3

0,75 ÷ 1

2900
3450

750 ÷ 2900
875 ÷ 3450

2900
3450

2900
3450

1450
3000
variable speed

2900
3450
variable speed

2900

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•



una grande famiglia / efficiency/
sicurezza / solidità / stabilità
/ Vinicio e Licia / centro ricerca e
sviluppo turbomacchine / cura
/ passato e futuro / optimized
productive system / tradition /
orgoglio italiano / vision /
precisione / water / technology
/ attenzione / fiducia / quality /
noi siamo acqua / calpeda
siamo noi / movimento / un sogno
/ sustainable innovation /
life / education / bravery /
umiltà / continuità / senso del
dovere / trasportare acqua è
affare nostro / respect for the
environment / successo /
research / global sustainability
/ passion

WEB CONTACT

Corporate website: <http://www.calpeda.com/>

Selection software: <http://pump-selector.calpeda.com/>

Corporate blog: <http://blog.calpeda.com/>





Calpeda S.p.A.
Via Roggia di Mezzo 39
36050 Montorso Vicentino (VI)
Tel: 0444 476476 Fax: 0444 476477
E-mail: info@calpeda.it
Web: www.calpeda.com